

S15-H

15" Passive Subwoofer

FEATURES

- 15" low-frequency driver.
- 132dB Max SPL (Peak).
- Frequency Response of 41Hz - 370Hz (± 3 dB).
- Maintains low distortion under high-power conditions.
- Integrated 3-point rigging system
- Hard wearing paint finish.

APPLICATIONS

- Small to medium sized theatres
- Small to medium sized live music venues
- Corporate AV Events
- Fixed installations in concert halls, ballrooms and houses of worship.



DESCRIPTION

The S15-H passive subwoofer comprises a single 15" low frequency driver reinforced with a nano coating. The driver diaphragm has a better rigidity allowing the unit to maintain low distortion and continuous energy output under high-power conditions.

The S15 provides a maximum SPL of 132dB (Peak).

The 520mm wide enclosure is designed to pair seamlessly with the LA8D 2 x 8" Line Array Enclosure via the integrated 3-point rigging system. The 34KG cabinet features 4 side handles and provision for castors to improve portability. The S15-H constructed of acoustically optimised plywood with extensive internal bracing, finished with hard wearing black paint and appointed with a hexagonal mesh black perforated steel grille with acoustic foam backing.




Specifications


Specifications	
Model	S15-H
Frequency Response	41Hz-370Hz(±3dB)
	37Hz-450Hz(-10dB)
Power Rating	600W Continuous, 2400W Peak
Maximum SPL	126dB Continuous, 132dB Peak
Sensitivity	98dB (1W@1m)
Nominal Impedance	8Ω
Speaker	
LF Driver	1 x 15" low-frequency driver
Enclosure	
Cabinet	Plywood
Finish	Hard wearing Black Paint
Grille	Black perforated steel, Hexagonal mesh, acoustic foam lined
Fittings	4 x Side handles, Rigging system
Mounting Bracket	LA8D-S15-FLB for suspended mounting
Rigging	3-point rigging system
Connectors	2 x speakON NL4
Pin Connections (Input)	1 +/-
Pin Connections (Link)	1 +/-
Dimensions (H/W/D)	430 x 520 x 600mm
Weight	34kg




FREQUENCY RESPONSE




IMPEDANCE



SENSITIVITY



DIMENSIONS



HH Electronics is a trading style of
Headstock Distribution Ltd,
Steelpark Road, Coombswood Business Park West,
Halesowen, West Midlands, B62 8HD, UK.
© 2024 HH Electronics Ltd
www.hhaudio.com

In the interest of continued development, HH reserves the right to amend
product specification without prior notification.

