

M15

1 x 15" Passive 2-Way Stage Monitor

FEATURES

- 1 x 15" low frequency driver, 1 x 3" high-frequency compression driver.
- 133dB Max SPL (Peak).
- Frequency Response of 45Hz - 18kHz (± 3 dB).
- 90° (H) x 60° (V) dispersion angle.
- Robust wooden enclosure with a wear-resistant finish.

APPLICATIONS

- Large scale touring
- Festivals
- Stadia
- Arenas
- Concert halls
- Fixed installations in concert halls, theatres

DESCRIPTION

The M15 is a 2-way passive stage monitor comprised of 1 x 15" low-frequency driver alongside 1 x 3" high-frequency compression driver providing a maximum SPL of 133dB (Peak). The components of the high sensitivity 15" LF driver have been formulated to provide a soft mid frequency and smooth response well suited to large and loud stages.

The cabinet is composed of robust plywood finished with a hard-wearing black paint and appointed with a hexagonal mesh black perforated steel grille with acoustic foam backing. The cabinet features 2 side handles as well as M8 mounting points.






Specifications

Specifications	
System type	2-way Stage Monitor
Frequency Response	45Hz-18kHz (± 3 dB)
	35Hz-20kHz (-10dB)
Horizontal Coverage Angle	90°
Vertical Coverage Angle	60°
Power Rating	500W Continuous, 2400W Peak
Maximum SPL	127dB Continuous, 133dB Peak
Sensitivity	100dB (1W@1m)
Nominal Impedance	8 Ohms
Speaker	
LF Driver	1×15" low-frequency driver
HF Driver	1×3" high-frequency compression driver
Enclosure	
Cabinet	Robust all wood construction
Finish	Hard-wearing black paint
Grille	Hexagonal mesh black perforated steel with acoustic foam backing
Fittings	2 x Side handles, Mounting points
Mounting Points	M8
Connect	
Connectors	2 x Speakon NL4
Pin Connections (Input)	1+/-
Pin Connections (Link)	1+/- and 2+/-
Dimensions (H/W/D)	390×580×430mm
Weight	35kg



DIMENSIONS



HH Electronics is a trading style of
Headstock Distribution Ltd,
Steelpark Road, Coombswood Business Park West,
Halesowen, West Midlands, B62 8HD, UK.
© 2024 HH Electronics Ltd
www.hhaudio.com

In the interest of continued development, HH reserves the right to amend
product specification without prior notification.

