

GSD

Dual 18" Passive Sub Enclosure

FEATURES

- 2 x 18" low-frequency drivers.
- 145dB Max SPL (Peak).
- Frequency Response of 32Hz - 290Hz (± 3 dB).
- Advanced carbon fibre cone to provide low-distortion output under high power conditions
- Robust wooden enclosure with extensive internal bracing finished with black polyurea paint.



APPLICATIONS

- Large scale touring sound reinforcement.
- Festivals, stadia and arenas.
- Large clubs.
- Fixed installations in concert halls and theatres

DESCRIPTION

The GSD is a dual passive subwoofer that comprises two specially crafted 18" drive units. The meticulously engineered high sensitivity LF drive units feature carbon fibre cones improve rigidity, thus enabling the GSD to provide continuous low-distortion output under high power conditions.

The 1200mm wide enclosure offers provision for castors as well as 4 side handles to improve portability, making the GSD an ideal subwoofer for large scale touring applications as well as premium fixed installations.

The enclosure is composed of robust plywood with extensive internal bracing to eliminate vibrational modes. The GSD is finished with hard-wearing black polyurea paint and fitted with a hexagonal mesh steel grille with acoustic foam backing.






Specifications

Specifications	
System type	Dual 18" Passive Subwoofer
Frequency Response	32Hz - 290Hz (± 3 dB)
	22Hz - 180Hz (-10dB)
Power Rating	2000W Continuous, 8000W Peak
Maximum SPL	139dB Continuous, 145dB Peak
Sensitivity	106dB (1W@1m)
Nominal Impedance	4 Ω
Speaker	
LF Driver	2 x 18" low-frequency driver
Enclosure	
Cabinet	Acoustically optimised plywood cabinet with extensive internal bracing to eliminate vibrational modes.
Finish	Hard wearing black polyurea paint
Grille	Hexagonal mesh black perforated steel with acoustic foam backing.
Fittings	4 x Side handles and provision for castors.
Connect	
Connectors	2 x Speakon NL4
Pin Connections (Input)	1+/-
Pin Connections (Link)	1+/- and 2+/-
Dimensions (H/W/D)	550 x 1200 x 790mm
Weight	80kg



DIMENSIONS



HH Electronics is a trading style of
Headstock Distribution Ltd,
Steelpark Road, Coombswood Business Park West,
Halesowen, West Midlands, B62 8HD, UK.
© 2024 HH Electronics Ltd
www.hhaudio.com

In the interest of continued development, HH reserves the right to amend
product specification without prior notification.

