



# **GSS**

## Dual 18" Passive Sub Enclosure

#### **FFATURES**

- 2 x 18" high performance low-frequency drivers.
- 144dB Max SPL (Peak).
- Frequency Response of 30Hz 95Hz (±3dB).
- Robust wooden enclosure with extensive internal bracing finished with black polyurea paint.

## **APPLICATIONS**

- Medium to large scale live music venues
- Medium to large scale clubs
- Medium to large scale Houses of Worship
- Fixed installations in concert halls and theatres



#### **DESCRIPTION**

The GSS is a passive dual subwoofer that comprises two 18" drive unit. Each driver cone is engineered to provide fast and accurate transient response and provides distortion-free output under the most demanding performance conditions. The GSS offers a maximum SPL of 144dB (Peak) and a frequency response from 30Hz - 95Hz (±3dB).

The 1100mm wide enclosure includes provision for castors plus 4 side handles to make transportation simple.

The enclosure is composed of robust plywood with extensive internal bracing to eliminate vibrational modes. The GSS is finished with hard-wearing black polyurea paint and fitted with a hexagonal mesh steel grille with acoustic foam backing.






# Specifications


Specifications	
System type	Dual 18" Passive Subwoofer
Frequency Response	30Hz - 95Hz (±3dB)
	25Hz - 115Hz (-10dB)
Power Rating	2000W Continuous, 8000W Peak
Maximum SPL	138dB Continuous, 144dB Peak
Sensitivity	105dB (1W@1m)
Nominal Impedance	$4\Omega$
Speaker	
LF Driver	2 x 18" low-frequency driver
Enclosure	
Cabinet	Acoustically optimised plywood cabinet with extensive internal bracing
	to eliminate vibrational modes
Finish	Hard wearing black painted
Grille	Hexagonal mesh black perforated steel with acoustic foam backing.
Fittings	4 x Side handles, provision for castors.
Connect	
Connectors	2 x Speakon NL4
Pin Connections (Input)	1+/-
Pin Connections (Link)	1+/- and 2+/-
Dimensions (H/W/D)	560 x 1100 x 855mm
Weight	82kg






## **DIMENSIONS**







HH Electronics is a trading style of Headstock Distribution Ltd, Steelpark Road, Coombswood Business Park West, Halesowen, West Midlands, B62 BHD, UK.
© 2024 HH Electronics Ltd.
www.hhaudio.com
In the interest of continued development, HH reserves the right to amend product specification without prior notification.

